

Model: YTDB-08I-4

Overview

Model YTDB-08I-1 can connect the drop cable with feeder cable as the termination point in the FTTX network, which is cable to meet at least 8 users' requirements. It can help splicing, splitting, storage and management with suitable space.

Features


- The body is made of high-quality engineering plastic with good strength
- With safe special-shaped lock, the box can be opened easily and has good water-proof performance, suitable for indoor and outdoor natural environments
- With double-page design, the box can be installed and maintained easily, the fusion and termination are completely separated
- The drop leaf can be installed 1 pcs of 1*8 Tube Type Splitter



Technical index

| | | | |
|---------------------------|------------|------------------------------------|---|
| Model No. | YTDB-08I-1 | Color | Black, Grey, White.. |
| Capacity | 8 cores | Material | PC+ABS, ABS |
| Dimension(L*W*DMM) | 244*195*55 | Flame retardant performance | Non-flame retardant |
| Protection Level | IP55 | Splitter | Can be with 1x1:8 Tube Type Splitter |

The dimension diagram:(mm)



Pictures for reference:





Package Information:

- Plastic bag size: 320*270mm
- Inner box with single corrugated size: 250*210*65mm
- Carton with double corrugated size: 525*445*370mm(20PCS/Box)
- Weight per carton: 15KG